


EXPERIENCE. PERFORMANCE.

PSE

ARCHERY



2013 PSE PRODUCT GUIDE



Prophecy™

Bow Madness™ 3G

Sinister™

Brute™ X

Stinger™ 3G

Rally™

ATA/IBO SPEED	340-332 FPS	330-322 FPS	327-319 FPS	320-312 FPS	314-306 FPS	308-300 FPS
BRACE HEIGHT	6"	7"	7 ¼"	7 ¼"	7 ¾"	7 ½"
AXLE-TO-AXLE	32"	33 ½"	28"	31"	33"	33 ¾"
LETOFF %	75%	75%	75%	75%	75%	70%
DRAW LENGTH RANGE	25" TO 30"	25" TO 30"	25 ½" TO 30 ½"	25" TO 30"	25 ½" TO 30 ½"	18" TO 31"
PEAK WEIGHT	50, 60, 70	50, 60, 70	50, 60, 70	50, 60, 70	50, 60, 70	50, 60, 70
COLOR OPTIONS (RTS & FR: BREAK-UP® INFINITY® ONLY)	BREAK-UP® INFINITY®, BLACK CAMO, ALL BLACK OR SKULLWORKS® BLACK	BREAK-UP® INFINITY®, BLACK CAMO, ALL BLACK OR SKULLWORKS® BLACK	BREAK-UP® INFINITY®, BLACK CAMO, ALL BLACK OR SKULLWORKS® BLACK	BREAK-UP® INFINITY®, BLACK CAMO, ALL BLACK OR SKULLWORKS® BLACK	BREAK-UP® INFINITY®, BLACK CAMO, ALL BLACK OR SKULLWORKS® BLACK	BREAK-UP® INFINITY® OR ALL BLACK
MAX LIMB BOLT TURNS FROM BOTTOM	10	6	10	10	10	10
BOW ONLY PART #	1301AP	1201MP	1302AP	1202MP	1203HP	1204OP
RTS PACKAGE PART #	1311AP	1211MP	1312AP	1212MP	1213HP	1214OP
FR PACKAGE PART #	1321AP	1221MP	1322AP	1222MP	1223HP	1224OP



Chaos™ One



Chaos™ AD



Mini Burner™



Discovery™ 2



Wave™

	Chaos™ One	Chaos™ AD	Mini Burner™	Discovery™ 2	Wave™
ATA/IBO SPEED	312-304 FPS @ 29"	298-290 FPS @ 28"	261-253 FPS @ 26"	N/A	N/A
BRACE HEIGHT	6 3/4"	6 1/4"	7"	6 1/2"	6 1/2"
AXLE-TO-AXLE	30 1/2"	32 1/4"	26 1/2"	31 1/2"	32"
LETOFF %	75%	75%	70%	N/A	BOWFISHING OPTIMIZED
DRAW LENGTH RANGE	24" TO 29"	16 1/2" TO 28"	16" TO 26"	TO 30"	TO 30"
PEAK WEIGHT	40, 50, 60	29, 40, 50, 60	20, 29, 40	20, 29	40
COLOR OPTIONS (NOTE RTS COLOR ON CHAOS PACKAGES)	BLACK CAMO, ALL BLACK OR SKULL- WORKS®	BLACK CAMO, ALL BLACK OR SKULLWORKS® (BLACK OR PINK)	BLACK CAMO, SKULLWORKS® PINK OR HAMMERTONE BLUE	BLACK CAMO, HAMMERTONE BLUE OR HAMMERTONE RED	REAPER™ H ₂ O XL
MAX LIMB BOLT TURNS FROM BOTTOM	8	8	6	6	8
BOW ONLY PART #	0908HP	0908AD	1106FC	0517MZ	1205HB
RTS PACKAGE PART #	0921HP	0921AD	1116FC (BLACK CAMO ONLY)	N/A	1215HB (COMBO)

RTS = READY TO SHOOT

CAM HIGHLIGHTS 2013 PSE MAINLINE BOWS



AMP CAM (AP)

- 2nd generation posi-loc inner cam
 - 7075 aircraft grade aluminum for increased strength and decreased weight
 - Larger string track for amplified performance with new bow geometries
- Bow Models: Prophecy™, Sinister™*



MADNESS PRO CAM (MP)

- High performance, high efficiency single-cam
 - 2nd Generation posi-loc inner cam
- Bow Models: Bow Madness™ 3G, Brute™ X*



HIGH PERFORMANCE CAM (HP)

- Posi-lock inner-cam for precise draw settings
 - Rotational inner-cam - no bowpress or inner-cam exchange to adjust draw length
 - 6" of draw length adjustment in 1/2" increments
- Bow Models: Stinger™ 3G, Chaos™ One*



OPTIMA CAM (OP)

- Highly adjustable 2-cam designed specifically for longer power stroke
 - Adjustable draw weight system: "Fixed Peak Weight" buss cable setting OR "Grows With You" buss cable setting
- Bow Model: Rally™*



ADAPTA CAM (AD)

- Adjustable draw weight system: "Fixed Peak Weight" buss cable setting OR "Grows With You" buss cable setting
 - Improved cosmetics and dynamics
 - Simple inner cam adjustment
- Bow Model: Chaos™ AD*



FLEXIBLE CAM (FC)

- Highly adjustable 2-cam designed specifically for longer power stroke
 - Adjustable draw weight system: "Fixed Peak Weight" buss cable setting OR "Grows With You" buss cable setting
- Bow Models: Mini Burner™*



MZ CAM (MZ)

- Perfect for schools, clubs and families - no set draw length means it fits everyone
 - No let-off, constant draw weight out to 30"
 - Designed to fit any archer
- Bow Model: Discovery™ 2*



HYBRID BOWFISHING CAM (HB)

- Posi-lock inner-cam for precise draw settings
 - Bowfishing optimized inner-cam
- Bow Model: Wave™*



2013 PSE MAIN LINE **BOW MADNESS™ 3G**




USHERING IN A NEW GENERATION OF PERFORMANCE


At PSE, we are dedicated to engineering the finest hunting bows on the market. This dedication has never been more evident than in the Bow Madness™ 3G. Designed in conjunction with Drury Outdoors, this bow features heavily preloaded past parallel split limbs, Planar Flex riser, Backstop™ 2, and the ultra-efficient Madness Pro™ single cam system for the perfect combination of feel and performance. Shoot the Bow Madness™ 3G for yourself and you'll be saying, "I shot it with my PSE!"

"Just wait until you shoot the Bow Madness™ 3G. Once again, PSE has proven that they make the fastest and smoothest single-cam bows on the market."

Terry Drury
Drury Outdoors



- Brace Height: 7"
- Axle-to-Axle: 33 1/8"
- ATA/IBO Speed: 330-322 fps
- Letoff: 75%
- Mass Weight: 4.5 lbs.
- Draw Length Range: 25" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 6 turns
- Shipped in: 29"



2013 PSE BOW MADNESS™ 3G SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BOW MADNESS™3G	1201MP	IF, BC, SW, BK	25"-30"	50, 60, 70#
BOW MADNESS™3G RTS	1211MP	IF	25"-30"	50, 60, 70#
BOW MADNESS™3G FR	1221MP	IF	25"-30"	50, 60, 70#



Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flexxtech Stabilizer, Mongoose Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows





2013 PSE MAIN LINE **PROPHECY™**

**NEW PRODUCT
2013**

PSE'S PROPHECY™: A VISION OF THINGS TO COME!!

The dictionary defines a prophecy as "a prediction of something to come". Well, the Prophecy™ from PSE is here and it's an incredible bow. It features past parallel limbs, a Planar Flex riser, the new Backstop™2 and the fastest single-cam ever created. The new Prophecy™ is smooth, accurate and at 340 fps, the fastest single-cam ever made. This is exactly what hardcore bowhunters have been looking for!




"PSE is known for making the fastest hybrid cams on the market. The fact is, they also make the fastest single cam bow on the market...and it's called the Prophecy™!"

Keith Beam
PSE Pro Staff




340
FEET PER SECOND


- Brace Height: 6"
- Axle-to-Axle: 32"
- ATA/IBO Speed: 340-332 fps
- Letoff: 75%
- Mass Weight: 4.1 lbs.
- Draw Length Range: 25" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped in: 29"



IF
Mossy Oak® Break-Up® Infinity™ Limbs and Riser



BC
Mossy Oak® Break-Up® Infinity™ Limbs with Black Riser



SW
Skullworks® Camo Limbs and Riser



BK
Solid Black Limbs and Riser

2013 PSE PROPHECY™ SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PROPHECY™	1301AP	IF, BC, SW, BK	25"-30"	50, 60, 70#
PROPHECY™ RTS	1311AP	IF	25"-30"	50, 60, 70#
PROPHECY™ FR	1321AP	IF	25"-30"	50, 60, 70#

Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flextech Stabilizer, Mongoose Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows





2013 PSE MAIN LINE **SINISTER™**



THERE'S SOMETHING A LITTLE SINISTER™ ABOUT A BOW THIS GOOD!


Never before has there been a 28 inch axle-to-axle length, 7 ¼ inch brace height, single-cam bow that will shoot 327 fps. The new Sinister™ bow from PSE is very compact making it the perfect bow for hunting from a tree stand, ground blind or on those long hikes out West. But unlike most short axle-to-axle length bows, the new Sinister™ bow is very forgiving and amazingly fast. It is also easy on the pocket book.

"When I shot the new Sinister™ bow I was impressed. When I saw the price I was amazed! This bow has it all."


Matt Drury
Drury Outdoors




- Brace Height: 7 ¼"
- Axle-to-Axle: 28"
- ATA/IBO Speed: 327-319 fps
- Letoff: 75%
- Mass Weight: 3.9 lbs.
- Draw Length Range: 25 ½" to 30 ½"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped in: 29"



IF
Mossy Oak® Break-Up® Infinity® Limbs and Riser



BC
Mossy Oak® Break-Up® Infinity® Limbs with Black Riser



SW
Skullworks® Camo Limbs and Riser



BK
Solid Black Limbs and Riser

2013 PSE SINISTER™ SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SINISTER™	1302AP	IF, BC, SW, BK	25 ½"-30 ½"	50, 60, 70#
SINISTER™ RTS	1312AP	IF	25 ½"-30 ½"	50, 60, 70#
SINISTER™ FR	1322AP	IF	25 ½"-30 ½"	50, 60, 70#

Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flextech Stabilizer, Mongoose Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows





2013 PSE MAIN LINE **BRUTE™ X**



THINK YOU NEED TO SPEND TOP DOLLAR TO HAVE A TOP BOW? THINK AGAIN!

This is the bow that has taken the world by storm! The Brute X™ has become one of the best selling bows in the world because it incorporates highly preloaded X-Tech™ split limbs, a machined riser, a pivoting limb pocket system and the Madness Pro™ cam that allow for ½" adjustments with PSE's posi-lock inner-cam. Add in a StingStop™, multiple sight mounting holes, our incredible Raptor™ grip and all the other features you expect from PSE, and you truly have an impressive bow. Shoot the new Brute™ X. Only PSE can offer a bow this smooth and this fast for under \$400.



"I want to challenge everyone in the market for a new bow this season to shoot the Brute™ X against competitor's bows costing twice as much. I think we'll be welcoming you to the PSE family."


Bill Edwards
PSE Pro Staff



- Brace Height: 7 ¼"
- Axle-to-Axle: 31"
- ATA/IBO Speed: 320-312 fps
- Letoff: 75%
- Mass Weight: 4.7 lbs.
- Draw Length Range: 25" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped in: 29"



IF
Mossy Oak® Break-Up® Infinity® Limbs and Riser



BC
Mossy Oak® Break-Up® Infinity® Limbs with Black Riser



SW
Skullworks® Camo Limbs and Riser



BK
Solid Black Limbs and Riser

2013 PSE BRUTE™ X SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BRUTE™ X	1202MP	IF, BC, SW, BK	25"-30"	50, 60, 70#
BRUTE™ X RTS	1212MP	IF	25"-30"	50, 60, 70#
BRUTE™ X FR	1222MP	IF	25"-30"	50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Flexxtech Stabilizer, Mongoose Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows





2013 PSE MAIN LINE **STINGER 3G**




A NEW GENERATION IN VALUE RETURNS IN 2013!

The Stinger™ 3G is a very quick and accurate workhorse of a bow. Our extremely popular Stinger™ 3G features a machined aluminum riser, improved HP cam with posi-lock inner cam for easy draw length adjustment, parallel limbs, and a shooter-friendly 7 3/4" brace height. The result is one of the best bows on the market at a price you won't believe. Try the PSE Stinger™ 3G! We think you'll agree!




"When I shot the Stinger™ 3G for the first time, I assumed it was a \$600 or \$700 bow. When I saw the price, I was simply amazed!"

David Reissner
Drury Outdoors




314
FEET PER SECOND


- Brace Height: 7 3/4"
- Axle-to-Axle: 33"
- ATA/IBO Speed: 314-306 fps
- Lettoff: 75%
- Mass Weight: 4.7 lbs.
- Draw Length Range: 25 1/2" to 30 1/2"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt Turns From Bottom: 10 Turns
- Shipped in: 29"



IF
Mossy Oak® Break-Up® Infinity® Limbs and Riser



BC
Mossy Oak® Break-Up® Infinity® Limbs with Black Riser



SW
Skullworks® Camo Limbs and Riser



BK
Solid Black Limbs and Riser

2013 PSE STINGER™ 3G SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
STINGER™3G	1203HP	IF, BC, SW, BK	25 1/2"-30 1/2"	50, 60, 70#
STINGER™3G RTS	1213HP	IF	25 1/2"-30 1/2"	50, 60, 70#
STINGER™3G FR	1223HP	IF	25 1/2"-30 1/2"	50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Flexxtech Stabilizer, Mongoose Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows





2013 PSE MAIN LINE **RALLY™**

THE MOST VERSATILE BOW EVER MADE!

Bowhunters come in all shapes and sizes...the Rally™ fits them all. Engineered for maximum adjustability, our revolutionary Opti Cam offers an incredible 14" of draw length adjustment and has the ability to dramatically decrease the draw weight through an easy cam adjustment. We also gave the Rally™ a limb and pocket design that allows the limb bolts to be adjusted 10 full turns! The result is the most adjustable bow ever offered by PSE. But it's not just about adjustability, the Rally™ is quick, smooth, accurate and priced to make it one of the best values in archery today!




"The Rally™ from PSE proves that PSE puts just as much time into engineering affordable bows as they do the higher priced models. This bow not only performs, but it is also incredibly adjustable. It's the perfect bow for introducing new archers to the sport of bowhunting."


Jeff Probst
PSE Elite Pro Staff



- Brace Height: 7 1/2"
- Axle-to-Axle: 33 3/4"
- ATA/IBO Speed: 308-300 fps
- Letoff: 70%
- Mass Weight: 4.5 lbs.
- Draw Length Range: 18" to 31"
- Draw Weights (lbs.): 50, 60, 70
- Max Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped in: 29"



IF
Mossy Oak®
Break-Up® Infinity™
Limbs and Riser



BK
Solid Black
Limbs and Riser

2013 PSE RALLY™ SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
RALLY™	1204OP	IF, BK	18"-31"	50, 60, 70#
RALLY™ RTS	1214OP	IF	18"-31"	50, 60, 70#
RALLY™ FR	1224OP	IF	18"-31"	50, 60, 70#

Ready to Shoot (RTS) : Gemini Sight, Whisker Biscuit Rest, Mongoose Quiver, Peep Wheel and Nock Set

Field Ready (FR) : All Ready to Shoot accessories above plus: Flextech Stabilizer, PSE Neoprene Sling, True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows



Optional Feature: Rally™ StingStop™ #01181



2013 PSE MAIN LINE **CHAOS™ ONE**



ENGINEERED FOR SERIOUS, SMALLER FRAMED ARCHERS


Not all young hunters are the same. Some have more passion and drive for the sport. They take their hunting very seriously and we developed the Chaos™ One specifically for those hardcore young hunters. The Chaos™ One is not your typical "kids" bow. It uses highly preloaded 12" split limbs and our HP cam to deliver the ultimate in speed and performance. The Chaos™ One offers the best speed and performance in a youth bow today.

"I count on the Chaos™ One because I know that when my season is on the line, my Chaos™ One will deliver the performance and accuracy to get the job done. And I have the bucks to prove it!"


Taylor Drury
Drury Outdoors



Brace Height: 6 3/4"
Axle-to-Axle: 30 1/2"
ATA/IBO Speed: 312-304 fps @ 29"
Lett-off: 75%
Mass Weight: 3.4 lbs.
Draw Length Range: 24" to 29"
Draw Weights (lbs.): 40, 50, 60
Maximum Limb Bolt
Turns From Bottom: 8 Turns
Shipped in: 25"



BC
Mossy Oak®
Break-Up® Infinity®
Limbs with Black Riser



BK
Solid Black
Limbs and Riser



PC
Pink Skullworks®
Camo Limbs
and Riser



SW
Skullworks® Camo
Limbs and Riser

2013 PSE CHAOS™ ONE SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CHAOS™ ONE	0908HP	BC, BK, PC, SW	24"-29"	40, 50, 60#
CHAOS™ ONE RTS	0921HP	BC, PC	24"-29"	40, 50, 60#

Ready to Shoot (RTS) : Gemini Sight, Whisker Biscuit Rest, Mongoose Quiver, Peep Wheel and Nock Set





2013 PSE MAIN LINE **CHAOS™ AD**



NEW AND IMPROVED FOR 2013!

Redesigned for 2013, the new Chaos™ AD features the new, highly adjustable Adapta™ cams and a riser designed to allow for 8 full turns on the limb bolt. The result is a perfect bow for growing archers. But, this is NOT your typical "kids" bow. The Chaos™ AD uses highly preloaded 12" split limbs just like our X-Force™ bows to deliver the ultimate in speed and performance.




"I may be small but I shoot big bucks. Young hunters don't just need a bow that is adjustable; they need every bit of speed and performance possible. The PSE Chaos™ AD not only gives me the adjustability I need, it's also the best performing youth bow ever made!"

Wyatt Gregory

Wild TV



- Brace Height: 6 1/4"
- Axle-to-Axle: 32 1/4"
- ATA/IBO Speed: 298-290 fps @ 28"
- Letoff: 75%
- Mass Weight: 3.2 lbs.
- Draw Length Range: 16 1/2" to 28"
- Draw Weights (lbs.): 29, 40, 50, 60
- Maximum Limb Bolt Turns From Bottom: 8 Turns
- Shipped in: 25"



BC
Mossy Oak® Break-Up® Infinity™ Limbs with Black Riser



BK
Solid Black Limbs and Riser



PC
Pink Skullworks® Camo Limbs and Riser



SW
Skullworks® Camo Limbs and Riser

2013 PSE CHAOS™ AD SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CHAOS™ AD	0908AD	BC, BK, PC, SW	16 1/2"-28"	29, 40, 50, 60#
CHAOS™ AD RTS	0921AD	BC, PC	16 1/2"-28"	29, 40, 50, 60#



Ready to Shoot (RTS): Gemini Sight, Whisker Biscuit Rest, Mongoose Quiver, Peep Wheel and Nock Set





2013 PSE MAIN LINE MINI BURNER™

START HUNTERS RIGHT WITH THE MINI BURNER™

For the youngest of hunters that you want to start out right, the Mini Burner™ is a highly adjustable system that offers incredible quality and performance. Featuring the new FC "Flexible Cam" twin-cam system that switches easily from constant peak weight to "Grow With You" draw length adjustments - all without a bow press. The Mini SF technology limb assemblies like a solid limb with all the bend capabilities of a split limb. With the Mini Burner™, your young hunter enjoys the quality and reliability you expect from PSE in a bow that will fit them for years.




"My kids have been shooting since they were old enough to hold a bow, and the Mini Burner is the perfect bow for them or any young archer. It combines an easy to shoot bow with modern PSE compound bow technology."

Jon Shapley
PSE President




- Brace Height: 7"
- Axle-to-Axle: 26 1/2"
- ATA/IBO Speed: 261-253 fps @ 26"
- Letoff: 70%
- Mass Weight: 2.5 lbs.
- Draw Length Range: 16" to 26"
- Draw Weights (lbs.): 20, 29, 40
- Maximum Limb Bolt
- Turns From Bottom: 6 Turns
- Shipped In: 25"



BC
Mossy Oak®
Break-Up® Infinity™
Limbs with Black Riser



BL
Blue



PC
Pink Skullworks®
Camo Limbs
and Riser

2013 PSE MINI BURNER™ SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
MINI BURNER™	1106FC	BC, BL, PC	16"-26"	20, 29, 40#
MINI BURNER™ RTS	1116FC	BC	16"-26"	20, 29, 40#

Ready to Shoot (RTS): Gemini Sight, Whisker Biscuit Rest, Mongoose Quiver, Peep Wheel and Nock Set



THE MINI BURNER™ UPGRADE OPTION!


UPGRADE OPTION: You can upgrade to the next weight option for \$65.00 plus shipping, handling and service fees. Contact your local PSE Archery dealer for complete details!



2013 PSE MAIN LINE DISCOVERY 2

INTRODUCE YOUR FAMILY TO ARCHERY!


The Discovery™ 2's cam design ramps up to reach the bow's peak weight then holds a constant draw weight up to a 30" draw – making it the perfect bow for youth and adults alike.



-  CAMPS
-  SCOUTS
-  4-H
-  SCHOOLS
-  FAMILY FUN



DISCOVERY™ 2 DRAW PROFILE



14" Draw 30" Draw

Brace Height: 6 1/2"
 Axle-to-Axle: 31 1/2"
 Mass Weight: 2.7 lbs.
 Draw Length Range: To 30"
 Draw Weights (lbs.): 20, 29
 Maximum Limb Bolt
 Turns From Bottom: 6 Turns



		
BC Mossy Oak® Break-Up® Infinity® Limbs with Black Riser	BL Hammerstone Blue with black limbs	RD Hammerstone Red with black limbs

2013 PSE DISCOVERY™ 2 SPECIFICATIONS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DISCOVERY™ 2	0517MZ	BC, BL, RD	TO 30"	20, 29#

